



## REFRIGERATION

### BACK BAR BOTTLE CHILLER, ERM-250

141211200000

#### Dimensions and Weights

Length	mm	900,00
Depth	mm	520,00
Height	mm	900,00
Net Weight	Kg	0,00
Gross Weight	Kg	0,00
Volume packed	m3	0,50

#### Electricity

Electric Power	KW	0,35
Voltage 230V -1+N		2x1,5+T - 4 A
Voltage 230V - III		
Voltage 400V - III+N		

#### Gas

No

#### BACK BAR BOTTLE CHILLER, ERM-250

Exterior of black plastic-coated steel.  
 2 Doors with automatic locking device.  
 Glass doors with vacuum chamber on anodised aluminium frame. Internal lighting.  
 Internal shelves of plastic-coated steel, adjustable in height.  
 60-mm thick injected polyurethane insulation.  
 40 kg/m<sup>3</sup> density. No CFC. Forced draught.  
 R-134 cooler. No CFC.  
 Removable, ventilated airtight compressor.  
 Evaporator integrated in aluminium plate.  
 Forced draught.  
 Automatic evaporation of water during defrosting.  
 Operating temperature: +2 °C, +6 °C, at room temperature of 43 °C.  
 Electronic temperature and defrosting control and display.  
 Operating voltage 230 V - 1+N - 50/60 Hz.  
 Equipment: 4 shelves.  
 Capacity: 190 litres.  
 Total power: 250 W.  
 Dimensions: 900 x 520 x 900 mm.

#### Water

Consumption (lit/h)	0,00
Pressure (Kg/cm <sup>2</sup> )	

#### Sound level (db)

#### Installation

	<u>X</u>	<u>Y</u>	<u>Z</u>	<u>Diameters</u>
ELECTRICITY	200	5	1.970	

